




three inches = one foot  
one and one half inches = one foot  
one inch = one foot  
three quarters inch = one foot  
one half inch = one foot  
three eighths inch = one foot  
one quarter inch = one foot  
one eighth inch = one foot




B1 TYPICAL WEST PATIENT ROOM REFLECTED CEILING PLAN - DEDUCT ALTERNATE 5  
1/2" = 1'-0"



C7 TYPICAL EAST PATIENT ROOM REFLECTED CEILING PLAN - DEDUCT ALTERNATE 5  
1/2" = 1'-0"



F1 TYPICAL SOUTH ISOLATION PATIENT ROOM REFLECTED CEILING PLAN - DEDUCT ALTERNATE 5  
1/2" = 1'-0"



F4 TYPICAL SOUTH PATIENT ROOM REFLECTED CEILING PLAN - DEDUCT ALTERNATE 5  
1/2" = 1'-0"

REFLECTED CEILING PLAN AND MEPPF SYMBOL LEGEND

- RECESSED DOWNLIGHT
- 2x6" WALL MOUNTED LIGHT FIXTURE - EMERGENCY POWER
- 1x4 RECESSED LIGHT FIXTURE - EMERGENCY POWER
- 2x4 RECESSED LIGHT FIXTURE - EMERGENCY POWER
- 1x4 RECESSED LIGHT FIXTURE
- 2x4 RECESSED LIGHT FIXTURE
- 2x4 SUPPLY AIR DIFFUSER
- 2x2 SUPPLY AIR DIFFUSER
- SUPPLY AIR DIFFUSER
- 2x2 RETURN AIR/EXHAUST
- FLUSH MOUNTED PUBLIC ADDRESS VISUAL / SPEAKER
- EXIT LIGHT
- OCCUPANCY SENSOR
- CEILING DOME CAMERA
- FIRE ALARM SPEAKER / VISUAL
- FIRE ALARM SPEAKER
- FIRE ALARM VISUAL
- SMOKE DETECTOR
- SPRINKLER HEAD
- SPRINKLER HEAD
- 2'x4' ACOUSTICAL CEILING PANELS AND GRID
- 2'x2' ACOUSTICAL CEILING PANELS AND GRID
- GYPSUM BOARD CEILING (UNO)
- CEILING MOUNTED EQUIPMENT SUPPORT BRACING (ABOVE CEILING) SUPPORT
- CEILING MOUNTED (CONCEALED) PROJECTION SCREEN
- HEIGHT
- WIDTH
- TYPE
- SYNCHRONIZED CLOCK SYSTEM
- POWER SUPPLY
- RADIANT CEILING PANEL
- CEILING MOUNTED PROJECTOR

REFLECTED CEILING PLAN GENERAL NOTES  
A. CEILING HEIGHTS ARE 9'-0" AFF UNO.  
B. NOT ALL INDEXED NOTES USED THIS SHEET.  
C. ALL DIMENSIONS FOR PATIENT LIFT TRACK SHALL BE COORDINATED WITH SELECTED MANUFACTURER'S REQUIREMENTS AND MAY VARY.

FULLY SPRINKLERED  
CONSTRUCTION DOCUMENTS

<b>CONSULTANTS:</b> STRUCTURAL ENGINEER: KPF CONSULTING ENGINEERS - ST. LOUIS 1630 DES PERES RD, SUITE 100 SAINT LOUIS, MO 63131 MECHANICAL/ELECTRICAL: KJWW ENGINEERING CONSULTANTS - ST. LOUIS 15 SUNNEN DRIVE, SUITE 104 ST. LOUIS, MO 63141 PLUMBING: 303RD ENGINEERING GROUP, LLC 1935 ARSENAL STREET ST. LOUIS, MO 63118 ESTIMATING: KWAME BUILDING GROUP 1204 WASHINGTON AVE., SUITE 200 ST. LOUIS, MO 63103 LIFE SAFETY/FIRE PROTECTION: CODE CONSULTANTS, INC. 2043 WOODLAND PARKWAY, SUITE 300 CHESTERFIELD, MO 63017 ACOUSTICAL ENGINEERS: ACOUSTICCONTROL, LLC 1709 WASHINGTON AVENUE, LOFT 300 ST. LOUIS, MO 63103 COMMISSIONING: ZODIAC INTERNATIONAL 16100 CHESTERFIELD PARKWAY, SUITE 365 CHESTERFIELD, MO 63017 ENVIRONMENTAL: ENVIRONMENTAL CONSULTANTS, LLC #6 MEADOW HEIGHTS PROFESSIONAL PARK DR. COLLINSVILLE, IL 62234			<b>ARCHITECT/ENGINEERS:</b> <b>CHRISTNER</b> ARCHITECTS   DESIGNERS   PLANNERS   LANDSCAPE ARCHITECTS 168 N MERAMEC, SUITE 400   ST. LOUIS, MISSOURI 63105 TEL 314 725 2027   FAX 314 725 2028   CHRISTNERENGINEERING.COM			<b>Drawing Title</b> <b>ENLARGED REFLECTED CEILING PLANS - DEDUCT ALTERNATE 5</b> THE SEAL (S) AND SIGNATURE(S) APPLY ONLY TO THE DOCUMENT TO WHICH THEY ARE AFFIXED, AND WE EXPRESSLY DISCLAIM ANY RESPONSIBILITY FOR ALL OTHER PLANS, SPECIFICATIONS, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS RELATING TO OR INTENDED TO BE USED FOR ANY PART OF PARTS OF THE PROJECT. © COPYRIGHT 2012 CHRISTNER INC.			<b>Project Title</b> <b>INTENSIVE CARE UNIT</b> <b>Location</b> <b>HARRY S. TRUMAN VAMC</b> <b>Date</b> 9/4/14 <b>Checked</b> EW <b>Drawn</b> EL <b>Approved</b>			<b>Project Number</b> <b>589-330</b> <b>Building Number</b> <b>1</b> <b>Drawing Number</b> <b>AE416.5</b> Dwg. 73 of 201			<b>Office of Construction and Facilities Management</b> <b>Department of Veterans Affairs</b>		
---	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--